

1: Identification of the Substance and Supplier	r
---	---

Product Name	ETHO-PRO
Recommended Use	Herbicide
Company Details	Living Turf NZ
Web Address Email Address Telephone Number Emergency Telephone National Poison Centre	www.prolawn.co.nz servicenz@livingturf.com 0800 428 268 CHEMCALL (0800 243 622) (24 hours) 0800 POISON (0800 764 766) (24 hours)
Date of Issue/Revision	3 June 2020

2: Hazards Identification

Hazard Pictograms	
Priority Identifiers:	Ecotoxic
HSNO Classes:	Secondary Identifiers:
9.1A	Toxic to aquatic organisms
9.2A	Very toxic to some plant species

3: Composition/ Information on Ingredients		
Ingredient	CAS No	Content (% w/v)
Ethofumesate (active ingredient)	26225-79-6	50
Other ingredients, surfactants, water, etc	Proprietary	Remainder

4: First Aid Measures	
Skin Contact:	In case of contact, immediately wash affected area with soap and water. Wash contaminated clothing before reuse. Seek medical advice if irritation persists.
Eye Contact:	Hold eyes open and rinse with water for at least 15 minutes. Remove contact lenses if easy to do so. Seek medical advice if irritation persists.
Ingestion:	Do not induce vomiting. Seek medical advice immediately.
Inhalation:	Immediately move to fresh air and rest. Maintain half upright position if breathing is difficult. Seek medical advice if feeling unwell.
Workplace Facilities:	Hand wash facility. Eye wash facility.
Advice to Doctor:	No specific antidote. Treat symptomatically.
National Poison Centre	0800 POISON (0800 764 766) (24 hours)

5: Fire-Fighting Measures	
Fire/Explosion Hazard	Non-Flammable
HAZCHEM Code	3Z
ERP Guide No	47
Extinguishing Media	Water spray, foam, dry chemical or C02. Avoid water jet.
Fire Fighting Instructions	During a fire, toxic fumes may be emitted. Wear self-contained breathing apparatus. Contain runoff.

6: Accidental Release Measures

Caution: Floors may be slippery if wet. When dealing with spills wear personal protective clothing and equipment as described in section 8. Prevent further spillage or leakage. Keep bystanders away. Absorb spillage with inert material such as spill kit, sand or cat litter. Collect and place in a sealable container for disposal. Wash down affected area with water and detergent. Absorb and collect washings for disposal. Dispose of safely to a suitable landfill.



7: Storage, Handling and Use	
Storage:	Keep out of reach of children. Store in the original, tightly closed container, in a secure area away from foodstuffs.
Handling and Use:	Keep out of reach of children. Avoid contact with eyes and skin. Avoid inhalation of spray mist. When mixing or
	applying, wear protective clothing as described in section 8. Do not eat, drink or smoke while using. Wash hands
	and face after use. Wash protective clothing after use.
Approved Handler	Required if applied in a wide dispersive manner, or by a commercial contractor.
Tracking	Not required.
Record Keeping	Record of use must be kept if 3 litres or more is used in an area within 24 hours, and is likely to enter air or water
	and leave that place.
REI	Until spray has dried
Site Requirements under the HSNO Act	A location test certificate is not required
1996 and HSNO Regulations:	A hazardous atmosphere zone is not required
u u u u u u u u u u u u u u u u u u u	Fire extinguishers are not required
	Signage is required for 100 litres or more
	Emergency information is required for 5 litre or more
	An emergency plan is required for more than 100 litres
	 Secondary containment is required for more than 100 litres.
	Separation/Segregation from incompatible substances is not applicable.
Additional Requirements	All aspects of storage, handling, use, disposal and record keeping must be in accordance with NZS 8409:2004

All aspects of storage, handling, use, disposal and record keeping must be in accordance with NZS 8409:200 'Management of Agrichemicals', and relevant local and regional council plans.

8: Exposure Control / Personal Protection

Tolerable Exposure Limit	None established.
Workplace Exposure Standards	Product – None established (Use lowest practicable level). Active ingredient – None established (Use lowest practicable level). Excipients – None established (Use lowest practicable level).
Engineering Controls	Limited given nature of use.
Personal Protection:	
Eye	Safety glasses/goggles when mixing or applying.
Skin	Cotton overalls snugly fitting at the neck, wrist and ankle, boots and waterproof gloves.
Respiratory	Not required where spray mist is not inhaled. Otherwise, respirator (organic vapour and particulate matter) is required.

9: Physical and Chemical Properties

Form	Beige Liquid
Odour	Odourless
Boiling Point	>100°C
Flash Point	Will not flash
Auto ignition Temperature	Not applicable
Explosive Limits	Not applicable
Density	1.12 g/mL (approx)
Vapour Pressure	Not volatile
Vapour Density	Not volatile
Solubility in Water	Soluble
pH	6.0 – 8.0 (1% dispersion)
Oxidising Properties	Not an oxidizer
Corrosive Properties	Not a corrosive

10: Stability and Reactivity Stability Stability Incompatibility Decomposition Dangerous Reactions Products arising from combustion, reaction, or thermal decomposition may be toxic, corrosive or flammable.

11: Toxicological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet.		
Swallowed	No data available (No cases of poisoning known)	
Eye	May cause irritation.	
Skin	No data available (No cases of harm known)	
Inhalation	No data available (No cases of harm known)	
Acute Toxicity (Active Ingredient)	Acute Oral LD50 (Rat) >5000 mg/kg	
	Acute Dermal LD50 (Rat) 2000 mg/kg	
	 Inhalation LC50 (4 hr) (Rat) >3.97 mg/l 	
Sensitisation Effects	None	



Mutagenic Effects	None
Carcinogenic Effects	None
Reproductive Effects	None
Teratogenic (Birth) Effects	None
Systemic Effects	None

12: Ecotoxicity Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet.

The following information is presented in respect of the active ingredient:	
Ecotoxic Effects	Acute Oral LD50 (Mallard duck) >3552 mg/kg
	• LC50 (96 hr) (Rainbow trout) 11.9 mg/l
	• EC50 (48 hr) (Daphnia) 13.5 mg/l
	• LC50 (96 hr) (Algae) 3.9 mg/l
	Very toxic to plant species (herbicide)
	Non - toxic to bees
Environmental Fate	Biodegradable. DT50 (soil) 70 days (typical)
Partition Co-Efficient (Kow)	LogP = 2.7 (moderate)
Environmental Exposure Limit:	None established
13: Disposal Considerations	

rs. Disposal Considerations	
Product	Dispose of product by using it in accordance with the label. Waste product should be disposed of to a suitable
Container	landfill. For disposal of large quantities contact Orion AgriScience Ltd. Dispose of to a suitable landfill or agricultural recycling scheme. Do not burn. Do not use packaging for any other purpose.

14: Transport Information	
Dangerous Goods	
UN Number	3082
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ETHOFUMESATE 50%)
Class	9
Subsidiary Class	None
Packing Group	III
Additional Information	MARINE POLLUTANT
MTQ (Non-Commercial)	1000 litres
Passenger Service Vehicle:	No restriction

15: Regulatory	
HSNO Approval No	HSR000826
ACVM Registration No	P5693

16: Other Information	
Glossary	
Approved Handler	For some hazardous substances, persons storing, handling and using must be trained and certified
DT50	Time (days) for 50% reduction in concentration
EC50	Concentration required to produce an effect in 50% of organisms
Environmental Exposure Limit	Maximum concentration limit of a substance in an environmental medium, e.g., water, soil.
ERP Guide	Dangerous Goods – Initial Emergency Response Guide SNZ HB 76:2008
HAZCHEM Code	Emergency action code for emergency services
HSNO	Hazardous Substances and New Organisms



LC50	Concentration that will kill 50% of organisms
LD50	Dose that will kill 50% or organisms
MTQ	Maximum Transport Quantity. The maximum amount of dangerous goods that can be transported by road by the user
Partition Co-Efficient Kow	Ratio of concentration between octanol and water. Values are given as the log value. A high value indicates a substance may bioaccumulate
Record Keeping	Includes a spray diary
REI	Restricted Entry Interval – The length of time after application before entry into the treated area is permitted without the use of protective equipment. For indoor environments, this time period commences once ventilation after treatment begins.
Safety Note	A brief document providing hazardous substance information for transport, storage and emergency management purposes
STEL	Short term exposure level
Tolerable Exposure Limit	Maximum concentration limit of a substance above which persons must not be exposed
Tracking	For some hazardous substances, a record must be kept of the transport, storage, sale and use of the product
TWA	Time weighted average
Workplace Exposure Standard	An occupational health standard limiting concentrations of specified substances to which persons are exposed
Wide Dispersive Use	A method of application involving equipment such as boom sprayers, mist blowers, vine sprayers, row sprayers, etc., as well as aerial application. Hand gunning within 30m of a property boundary is also classed as wide dispersive use. Knapsack sprayers are not classed as wide dispersive use
Please Note	

Users must ensure that the most up to date version of this safety data sheet is used.

This Safety Data Sheet summarises information on this product, and how to safely handle and use the product. Each user should familiarise themselves with the product label, Safety Note and Safety Data Sheet, and consider the information in the context of how the product will be handled and used, including in conjunction with other products. Turfgrass Specialists Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The user is responsible for determining the suitability and accuracy of this information for their particular purposes.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company. Always read the product label before use.